

INDEX MAPS.

T. 16 N. R. 7 E. 2nd — Mer.

320	6	342	5	337	4	332	3	328	2	324	1	318
	342		342		336		332		328		324	
320	7	342	8	336	9	332	10	328	11	324	12	318
	341		341		336		331		327		323	
320	18	341	17	335	16	331	15	327	14	323	13	318
	340		340		335		330		326		322	
319	19	339	20	334	21	330	22	326	23	322	24	317
	339		339		334		330		326		322	
319	30	338	29	333	28	329	27	325	26	322	25	317
	338		338		333		329		325		321	
319	31	337	32	333	33	329	34	325	35	321	36	317
	316		316		316		315		315		315	

T. 18 N. R. 8 E. 2nd — Mer.

352	6	5	361	4	360	3	359	2	358	1	347
			361		361		360		359		358
	7	8		9	360	10	358	11	357	12	347
							359		357		357
	18	17		16	360	15	358	14	355	13	348
							356		356		355
	19	20		21		22	355	23	354	24	348
							356		354		353
	Clark's Grant										
	30	29		28		27		26	353	25	348
									353		347
	31	32		33		34		35		36	349
											347

The figures on the lines refer to the page.

347

Township N: 2 North, Range N: 8 East, 2: Mer. Ind.
ch. 14

South Boundary. var. 5° 50' E.

West On S. boundary of Sec. 36

40.00 Set of Sec. post, from which
a Buckeye 16 in. dia. bray East 7 lms. dist. of
an Ash 18 " " " N 81° W 29 " "

41.00 Fourteen Mile Creek 75 lms. wide Cr. S. W.

54.00 Set a post in a line of the Illinois Grant, from which
a Hickory 12 in. dia. bray N 69° W 16 lms. dist. of
a Beech 6 " " " S 19° E 17 " "
Over first rate land, timber Sugar, Walnut
Ash, Beech, Poplar &c.

East Boundary. var. 5° 50' E.
September 18. 1866.

South On E. boundary of Sec. 1

17.40 a Hickory 18 in. dia.

40.00 Set of Sec. post, from which
a Gum 12 in. dia. bray N 36° E 26 lms. dist. of
a W. Oak 30 " " " S 13° W 48 " "

57.25 a W. Oak 24 in. dia.

80.00 Set post Cor. to Sec. 1, 12, from which
a Beech 12 in. dia. bray N 13° E 12 lms. dist. of
a W. Oak 12 " " " S 73° W 26 " "

Flat wet land, timber Beech, Oak, Maple &c.

South On E. boundary of Sec. 12

19.25 a W. Oak 15 in. dia.

40.00 Set of Sec. post, from which
a Buckeye 8 in. dia. bray S 88° W 9 lms. dist. of
an Ash 12 " " " N 20° E 34 " "

42.00 a Creek 50 lms. wide Course S. W.

56.00 a Gum 30 in. dia.

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 16 in. dia. bray S 40° W 6 lms. dist. of
a Do. 18 " " " N 6° E 42 " "

Thin level land, timber Oak, Beech, Gum &c.

S. N. R & E. 2^d. Mer. Indianach^d l^y

South On E. boundary of Sec. 13

3.00 a Brook 5 l^y. wide Cr. S. W.

17.50 a W. Oak 16 in. dia.

18.00 a Brook 3 l^y. wide Cr. S. W.

35.00 a Do 4 " " " S. E.

40.00 Let q^r. Sec. post, from whicha Beech 16 in. dia. bray S 20 E 17 l^y. dist. of

a Do. 14 " " " N 6 W 28 " "

64.00 a Do. 17 " " "

68.50 a Brook 15 l^y. wide Cr. W.

80.00 Let post Cor. to Sec. 13 & 24, from which

a Beech 12 in. dia. bray S 27 E 25 l^y. dist. of

a Walnut 16 " " " N 20 W 22 " "

Good land, timber Oak, Beech, Walnut &c.

South On E. boundary of Sec. 24

2.50 a Brook 10 l^y. wide Comse S. W.

16.00 a Beech 14 in. dia.

40.00 Let q^r. Sec. post, from which (a Beech 9 in. dia. Cor)a W. Oak 30 in. dia. bray S 60 E 25 l^y. dist. of

a Beech 16 " " " N 75 W 38 " "

52.00 a W. Oak 16 " " "

80.00 Let post Cor. to Sec. 24 & 25, from which

a Beech 12 in. dia. bray S 85 E 6 l^y. dist. of

a Do. 10 " " " S 74 W 38 " "

Land flat, timber Oak Beech &c

South On E. boundary of Sec. 25

10.00 a Beech 14 in. dia.

25.00 a Brook 3 l^y. wide Comse S. W.40.00 Let q^r. Sec. post, from whicha Poplar 30 in. dia. bray S 5 W 30 l^y. dist. of

a Do. 30 " " " N 3 W 21 " "

48.00 a Brook 10 l^y wide Cr. W.

49.70 a Honey Locust 24 in. dia.

80.00 Let post Cor. to Sec. 25 & 36, from which

349

S 2 N. R 8 E, 2nd Mer. Indiana
 ch. 2nd 1/2
 a P. Oak 18 mi. dist. by N 28 E 22 1/2 mi. dist. by
 a Gum 24 " " " N 67 W 44 " "
 Good level land, timber Beech, Oak, Poplar &c

South On E. boundary of Sec. 36
 6.00 a Creek 60 mi. wide C. S. W.
 40.00 At q. Sec. post, from which
 a Beech 8 mi. dist. by N 79 E 3 1/2 mi. dist. by
 a do. 10 " " " N 59 W 17 " "
 58.50 a Beech 24 mi. diam.
 80.00 At post Cor. to Township 1 of 2 N. Ranges 8 of
 9 East, from which
 a Beech 16 mi. dist. by N 8 W 32 1/2 mi. dist. by
 a do. 18 " " " N 78 51 " "
 Good land, timber Beech, Poplar &c
 September 19th 1886

North Boundary. Sept. 20. 1886
 West On Rand^m. S. boundary of Sec. 36. T 3 N. R 8 E.
 36.00 a Brook 4 mi. wide Course S.
 40.00 At temp. q. Sec. post
 60.00 a Brook 4 mi. wide C. S.
 80.00 At temp. Cor. to Sec. 35 of 36
 First 1/2 mile poor level land - last 1/2 good
 timber Oak, Beech &c

West On Rand^m. S. boundary of Sec. 35, T 3 N. R 8 E.
 19.00 a Brook 3 mi. wide Course S.
 25.00 a do. 3 " " " S.
 40.00 At temp. q. Sec. post
 55.00 a Brook 3 mi. wide Course S.
 80.00 At temp. Cor. to Sec. 34 of 35
 Rich bottom land, timber Sugar, Walnut, Elm &c.

West On Rand^m. S. boundary of Sec. 34, T 3 N. R 8 E.
 20.00 a Brook 15 mi. wide C. S. W.

T3N R8E. 2nd Mer. Indiana

ch. 1/2

40.00 Set temp. q. Sec. post

47.00 a Brook 10 lbs. wide C.S. N.

66.00 a Do 3 " " " N.

80.00 Set temp. Cor. to Secs. 33 & 34

Rich land, timber, Oak, Sugar, Elm, Ash &c

West On Rand. S. boundary of Sec. 33, T3N R8E

20.50 a Brook 4 lbs. wide course N.

40.00 Set temp. q. Sec. post

41.50 a Brook 3 lbs. wide course N.

47.50 a Do 3 " " " N.

80.00 Set temp. Cor. to Secs. 32 & 33

Fertile land pretty good Oak Hickory &c. timber

West On Rand. S. boundary of Sec. 32, T3N R8E.

40.00 Set temp. q. Sec. post.

54.00 a Brook 4 lbs. wide course S. W.

68.00 a Do 8 " " " N. W.

80.00 Set temp. Cor. to Secs. 31 & 32

Level thin Oak land Generally good

West On Rand. S. boundary of Sec. 31, T3N R8E.

1.50 a Brook 8 lbs. wide course S. W.

11.50 a Do 8 " " " N. W.

37.50 a Do 3 " " " N. W.

40.00 Set temp. q. Sec. post

47.50 a Brook 3 lbs. wide course N.

80.00 Set temp. post.

Generally thin Oak Land-

East On true line. var. 5° 50' E.

East On S. boundary of Sec. 31, T3N R8E

32.12 Intersected the Illinois Grant. & Set post
from which

a. W. Oak 18 in. dist. from N 41° 15' 50" W. dist. 1/2

a Do. 18 " " " 481° 59' " "

351

T3N. R8E. 2^d Mer. Indiana
ch. 2nd 1/2

Thence with the Grant line N 54 1/2 E 20.25 a
 stream 12 lms. wide Course N 60 W. Continued
 same Course 38.80 to a W. Oak, Sugar & Black
 Gum Corner of the Grant.

Thence S 35 1/2 E. 28.00 to corner of Sec. 31 & 32
T3N. R8E East. Continued through the
 Grant from the point at 32.10
 80.50 let post Cor. to Sec. 31 & 32, *T3N. R8E*, from which
 a Beech 9 in. dia. bran N 57 W 18 lms. dist. &
 a Do. 8 " " " S 73 E 20 " "
 Sept. 22nd 1876

East On S. boundary of Sec. 32, *T3N. R8E*.

40.00 let of Sec. post, from which
 a Beech 15 in. dia. bran S 28 W 15 lms. dist. &
 a W. Oak 18 " " " N 24 W 31 " "

80.00 let post Cor. to Sec. 32 & 33, *T3N. R8E*, from which
 a Hickory 15 in. dia. bran S 30 W 11 lms. dist. &
 a W. Oak 30 " " " N 19 E 48 " "

East On S. boundary of Sec. 33, *T3N. R8E*.

40.00 let of Sec. post, from which
 a W. Oak 16 in. dia. bran East 12 lms. dist. &
 an Elm 24 " " " N 55 W 37 " "

80.00 let post Cor. to Sec. 33 & 34, *T3N. R8E*, from which
 a W. Oak 30 in. dia. bran N 65 E 10 lms. dist. &
 a Hickory 5 " " " S 87 W 20 " "

East On S. boundary of Sec. 34, *T3N. R8E*.

40.00 let of Sec. post, from which
 a Beech 16 in. dia. bran S 25 E 24 lms. dist. &
 an Ironw. 6 " " " N 22 W 23 " "

80.00 let post Cor. to Sec. 34 & 35, *T3N. R8E*, from which
 a Sugar 10 in. dia. bran East 21 lms. dist. &
 a Walnut 24 " " " N 65 W 53 " "

Tst R⁸ E. 2^d Mer. Indianach^d lthEast On S. boundary of Sec. 35, T³ S. R⁸ E.40.00 Set of Sec. post, from which
an Elm 12 in. dia. bears S 59° 16' W 16 lth. dist. of
a do. 9 " " " N 50° E 4 " "80.00 Set post Cor. to Sec. 35 of 36, T³ S. R⁸ E. from which
a W. Oak 24 in. dia. bears N 55° 12' W 20 lth. dist. of
a do. 15 " " " N 86° E 29 " "East On S. boundary of Sec. 36, T³ S. R⁸ E.40.00 Set of Sec. post, from which
a Hickory 16 in. dia. bears West 15 lth. dist. of
a W. Oak 12 " " " N 23° E 24 " "

80.00 to Township Corner

West Boundary. var. 5.50' E

Bearings at Cor. to Township 2 of 3 North, of
Range 7 of 8 East,a W. Oak 36 in. dia. bears East 16 lth. dist. of
a Gum 12 " " " N 44° W 46 " "South On E. boundary of Sec. 1, T² S. R⁷ E.

9.56 a Beech 14 in. dia.

23.07 Set post in N.W. line of the Illinois Grant, from
which a Beech 11 in. dia. bears N 42° E 25 lth. dist. of
a Gum 17 " " " N 30° W 24 " "

Poor land timber Oak, Beech, Gum &c.

Surveyed in 1806 by

Alexander Holmes,

Deputy Surveyor

Subdivision

West Between Sec. 25 of 36

40.00 Set of Sec. post, from which
a Hickory 28 in. dia. bears S 45° W 15 lth. dist. of
a Beech 10 " " " N 30° W 20 " "

57.10 a Poplar 18 " "

64.00 a Stream 50 lth. wide Course S. a Cleft of

353

S. N. P & E. 2^d Mer. Indiana

ch. P. 1/4

rocks on the E. side 30 feet High

- 40.00 Set post cor. to Secs. 25, 26, 35 & 36. (bearing omitted)
This mile some broken 3^d rate Beech Oak Gum Poplar

South Between Secs. 35 & 36

24.00 a Stream 8 lks. wide Course S.E.

- 40.00 Set q. Sec. post, from which
a W. Oak 16 in. dia. bears South 13 lks. dist. &
a Hickory 13 " " " N 49 E 10 " "

- 45.00 To Clarke's grant line Set a post, from which
a Beech 12 in. dia. bears S 28 E 19 lks. dist. &
a No. 15 " " " N 14 N 21 " "
level 2^d rate timber Beech, Oak, Poplar, Gum, &c.

West Between Secs. 26 & 35.

- 32.06 Intersected Clarke's grant and set post from which
a W. Oak 12 in. dia. bears S 88 E 10 lks. dist. &
a Beech 16 " " " N 40 N 16 " "
Land 3^d rate Beech Oak Maple Soil cold &c.

North Between Secs. 25 & 26.

32.00 a Stream 8 lks. wide Course E

- 40.00 Set q. Sec. post, from which
a Beech 16 in. dia. bears S 68 N 26 lks. dist. &
a Poplar 28 " " " N 3 E 16 " "
80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
a Beech 14 in. dia. bears S 63 E 45 lks. dist. &
a Sugar 22 " " " S 29 N 21 " "
Land 2^d rate & level Beech Oak, Poplar &c.

East On Brandon between Secs. 24 & 25.

40.00 Set temp. q. Sec. post

- 80.14 Intersected the E. boundary 20 lks. S. of post.
this mile 3^d rate some broken Beech Oak Poplar &c.

West Corrected between Secs. 24 & 25

S. N. R. & E. 2^d. Mer. Indiana

ch. P. Lm

- 34.00 a Stream 6 lks. wide Course N. W.
 40.07 Set of Sec. of post, at average dist. from which
 a Maple 12 in. dia. bears S 61 E 20 lks. dist. &
 a No. 18 " " " N 84 E 2 " "
 63.00 a Stream 16 lks. wide Course S W
 69.00 a No. 50 " " " S. 20 E.
 80.14 to Section Corner

West Between Sec. 23 & 26.

- 21.79 a Beech 16 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 10 in. dia. bears N 6 E 4 lks. dist. &
 a No. 8 " " " S 47 E 23 " "
 80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 18 in. dia. bears S 76 W 15 lks. dist. &
 a No. 15 " " " N 74 E 30
 This mile level & wet 3^d. rate Soil Cold Beech
 Oak Gum &c.

West Between Sec. 22 & 27.

- 8.34 Intersected the grant line, stands a Poplar 40.
 in. diameter for the corner
 This mile same as last -

South Between Sec. 26 & 27

- 11.83 Intersected the boundary of Clark's grant, from which
 a W. Oak 40 in. dia. bears N 39 W 14 lks. dist. &
 a Beech 10 " " " N 50 E 15 " "
 Land 2^d rate Beech Oak &c. Open woods -

North Between Sec. 23 & 24

- 31.00 a Stream 25 lks. wide Course S. E.
 35.00 a small improvement on our left
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bears S 60 E 12 lks. dist. &
 a No. 12 " " " N 30 W 11 " "

355

S. N. R & E. I. N. Indiana

ch. l. l. h.

- 53.85 a Poplar 24 in. dia.
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 8 in. dia. bears S 64 E 14 l. h. dist. &
 a No. 12 " " " S 80 W 28 " "
 This mile level 2nd rate Beech Oak Gum &c.

East On Random between Sec. 13 & 24

- 40.00 Set temp. q. Sec. post.
 80.50 Intersected the E. boundary 50 l. h. S. of post.
 Land timber &c. Same as on the last mile

West Corrected between Sec. 13 & 24

- 3.00 a Springbranch course N. W.
 11.00 a Stream 10 l. h. wide course S. W.
 40.25 Set q. Sec. post, at average dist. from which
 a W. Oak 36 in. dia. bears N 20 E 11 l. h. dist. &
 a Beech 16 " " " S 16 W 39 " "
 50.00 a Stream 6 l. h. wide course S.
 80.50 to Section Corner

North Between Sec. 13 & 14

- 40.00 Set q. Sec. post, from which
 a W. Oak 40 in. dia. bears South 3 l. h. dist. &
 a Beech 6 " " " N 66 E 2 " "
 48.00 a Stream 50 l. h. wide course S. 30 W.
 67.00 a No. 6 " " " S. E.
 80.00 Set post Cor. to Sec. 11, 12, 13 & 12. from which
 a Beech 14 in. dia. bears S 86 E 18 l. h. dist. &
 a Poplar 8 " " " North 9 " "
 Level 2nd rate land Beech Oak Dogwood &c.

North Between Sec. 22 & 23

- 40.00 Set q. Sec. post, from which
 a Gum 24 in. dia. bears N 16 W 11 l. h. dist. &
 a W. Oak 22 " " " S 33 E 29 " "
 77.50 a Stream 6 l. h. wide course S. E.

T2. N. R8 E. 2^d. Mer. Indianach^d. 1/4

80.00 Set post Cor. to Sec^s. 14, 15, 22 & 23, from which
 a Beech 16 in. dia. bears S 38 E 34 lbs. dist. &
 a Do. 14 " " " N 28 E 22 " "
 Land timber &c. Same as on the last mile

East On Random between Sec^s. 14 & 23

40.00 Set temp^y. qf. Sec. post
 80.00 Intersected the N. & S. line 14 lbs. S. of post.
 Land timber &c. Same as the preceding miles

West Corrected between Sec^s. 14 & 23.

5.00 a stream 50 lbs. wide Course S. rocky bottom
 10.00 a small improvement on our left-
 40.00 Set qf. Sec. post, at average dist. from which
 a W. Oak 16 in. dia. bears N 50 W 23 lbs. dist. &
 a Do. 14 " " " N 30 W 23 " "
 64.00 a Water Course 6 lbs. wide Course S.
 70.00 a Do. " 6 " " " S
 77.00 a Poplar 24 in. dia.
 80.00 to Section Corner

West Between Sec^s. 15 & 22

1.00 a stream 8 lbs. wide Course S. E
 40.00 Set qf. Sec. post, from which
 a Poplar 18 in. dia. bears N 70 E 28 lbs. dist. &
 a Gum 12 " " " S 17 W 24 " "
 65.00 a Maple 10 in. dia. stands for Corner on Clark's
 grant line - Land timber &c. Same as last mile

North Between Sec^s. 14 & 15.

40.00 Set qf. Sec. post, from which
 a W. Oak 24 in. dia. bears S 30 W 21 lbs. dist. &
 a Beech 14 " " " N 28 E 9 " "
 78.75 a W. Oak 36 " "
 80.00 Set post Cor. to Sec^s. 10, 11, 14 & 15, from which
 a Maple 10 in. dia. bears S 88 W 13 lbs. dist. &

ch² 11th *P. N. R & E. 2nd Mer. Indiana* 357

an Elm 8 in. dia. bears N 63 E 4 lks. dist.
Level 2nd rate land timber as before

East On Random between Sect. 11 & 14.

40.00 Set temp^y. q. Sec. post.

81.50 Intersected the N. & S. line 50 lks. S. of post
This mile level 2nd rate land Beech Oak
Gum Spice &c.

West Corrected between Sect. 11 & 14

6.50 a Stream 10 lks. wide Course S. E.

40.75 Set q. Sec. post, at average dist. from which
a Hickory 10 in. dia. bears N 39 E 19 lks. dist. &
a Gum 10 " " " N 20 W 5 " "

26.00 a Stream 6 lks. wide Course S E.

62.75 a Poplar 24 in. dia.

81.50 to Section Corner

East On Random between Sect. 12 & 13

40.00 Set temp^y. q. Sec. post.

80.00 Intersected the E. boundary at the post
Land timber &c. Same as last mile

West Corrected between Sect. 12 & 13

40.00 Set q. Sec. post at average dist. from which
a W. Oak 12 in. dia. bears S 23 E 11 lks. dist. &
a Gum 12 " " " N 30 E 23 " "

46.25 a W. Oak 48 " "

60.00 a Stream 50 lks. wide Course S. rocky bottom

80.00 to Section Corner

North Between Sect. 11 & 12.

40.00 Set q. Sec. post, from which

a Poplar 12 in. dia. bears N 30 W 18 lks. dist. &

a W. Oak 14 " " " S 40 E 7 " "

80.00 Set post cor. to Sect. 1, 2, 11 & 12, from which

P. N. R & Co. 2nd Mer. Indiana
Ch. Lh.

a B. Oak 14 in. dia. bears N 45 W 22 lbs. dist. &
 a Poplar 12 " " " East 25 " "
 Level Beech, Oak, Gum &c. Poplar & Spruce 2nd rate

East On Random between Sec. 1 & 12

40.00 Set temp. g. Sec. post.

80.74 Intersected the E. boundary 12 lbs. S. of post
 Land timber &c. Same as on the last mile

West Corrected between Sec. 1 & 12

15.00 a W. Oak 2 1/4 in. dia.

23.50 a Stream 8 lbs. wide Course S

40.37 Set g. Sec. post. at average dist. from which
 a Sugar 12 in. dia. bears N 50 E 22 lbs. dist. &
 a Gum 16 " " " S 74 W 22 " "

62.00 a Water Course 6 lbs. wide Course South

80.74 to Section Corner

North Between Sec. 1 & 2.

40.00 Set g. Sec. post. from which

a Poplar 12 in. dia. bears N 60 W 32 lbs. dist. &
 a Gum 4 " " " N 70 E 10 " "

45.00 a W. Oak 2 1/4 " "

81.66 Intersected the N. boundary 44 lbs. N. of post

Set post cor. to Sec. 1 & 2, from which

a Poplar 22 in. dia. bears N 30 W 21 lbs. dist. &

a W. Oak 22 " " " N 66 E 25 " "

Land timber &c. Same as last mile

North Between Sec. 10 & 11

40.00 Set g. Sec. post. from which

a Beech 12 in. dia. bears N 82 W 17 lbs. dist. &

a Gum 22 " " " N 39 E 12 " "

80.00 Set post cor. to Sec. 2, 3, 10 & 11, from which

a Beech 16 in. dia. bears N 48 E 16 lbs. dist. &

a Gum 16 " " " S 29 W 16 " "

chth *S. N. R. & E. 2^d Mer. Indiana* 359
This mile level 3^d rate timber as before

East On Random between Secs. 2 & 11

40.00 Set temp^y. of Sec. post

79.13 Intersected the N. & S. line 20 lks S. of post
Land timber &c. Same as last mile

West Corrected between Secs. 2 & 11

39.56 Set of Sec. post, at average dist. from which
a Maple 16 in. dia. bears N 20 E 25 lks. dist. &
a Gum 15 " " " S 40 W 13 " "

79.13 to Section Corner

North Between Secs. 2 & 3.

4.60 a W. Oak 15 in. dia.

40.00 Set of Sec. post, from which
a Dogwood 3 in. dia. bears S 80 E 9 lks. dist. &
a Beech 16 " " " N 28 W 17 " "

82.50 Intersected the N. boundary 4 lks. E. of post.
The old post is so near, it was thought unnecessary
to set one. Land &c. Same as on last mile

West Between Secs. 10 & 15.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bears S 36 E 17 lks. dist. &
a W. Oak 12 " " " N 24 W 3 " "

68.90 a W. 22 " "

80.00 Set post Cor. to Secs. 9, 10, 15 & 16, from which
a W. Oak 9 in. dia. bears N 4 E 7 lks. dist. &
a W. 12 " " " S 5 W 22 " "
Land timber &c. Same as on the East mile

West Between Secs. 9 & 16.

40.00 Set of Sec. post, from which
a Dogwood 4 in. dia. bears N 86 E 4 lks. dist. &
a Hickory 4 " " " S 20 W 13 " "

360

2^d R8 E. 2^d Mer. Indiana

ch. lks

41.40 to the Grant line Set post, from which
 a W. Oak 30 in. dia. bears S 30 W 11 lks. dist. &
 a No. 16 " " " N 72 E 17 " "
 Land level 2^d rate timber as before

South Between Sec. 15 & 16

40.00 Set of Sec. post, from which
 a W. Oak 14 in. dia. bears N 4 W 22 lks. dist. &
 a Dogwood 8 " " " S 70 E 19 " "

58.29 to the line of Clark's Grant Set a post, from which
 a Maple 12 in. dia. bears East 20 lks. dist. &
 a W. Oak 12 " " " N 79 W 33 " "
 Level 3^d rate land timber as before

North Between Sec. 9 & 10.

40.00 Set of Sec. post, from which
 a W. Oak 12 in. dia. bears S 78 E 17 lks. dist. &
 a No. 18 " " " S 66 W 25 " "

80.00 as saplings 8 in. diam. & stands for. Cor. of Sec. 3, 4,
 9 & 10. — This mile level Oak Hickory &c. 3^d rate

East On Prandoni between 3 & 10

19.00 a Brook 6 lks. wide Course S

40.00 Set temp. of Sec. post

81.40 Intersected the N. & S. line 56 lks. S. of post
 (description of land &c. Omitted)

West Connected between Sec. 3 & 10

31.00 a Stream 8 lks. wide Course S. W.

40.70 Set of Sec. post, at average dist. from which
 a W. Oak 12 in. dia. bears S 40 E 10 lks. dist. &
 a No. 22 " " " North 35 " "

62.50 a Brook 6 lks. wide Course S.

81.40 To Section Corner

North Between Sec. 3 & 4

361

S. N. R. & E. 2^d. Mer. Indiana

ch. 2. 1/2

- 40.00 Set of Sec. post, from which
 an Elm 24 in. dia. bears N 45 E 13 lks. dist. 4
 a Beech 14 " " " N 70 W 33 " "
- 84.70 Intersected the N. boundary — the N. of post.
 Set post Cor. to Sec. 3 & 4, from which
 a B. Walnut 24 in. dia. bears S 16 W 10 lks. dist. 4
 a W. Oak 10 " " " N 40 E 21 " "
 This mile level 3^d rate much, birch, Oak, Hickory.

West Between Sec. 4 & 9.

- 40.00 Set of Sec. post, from which
 a B. Oak 3 in. dia. bears S 81 W 15 lks. dist. 4
 a W. 5 " " " N 40 W 4 " "
- 59.50 a W. Oak 18 " "
- 65.00 a Small Stream 6 lks. wide Course S.
- 80.00 a Hickory 22 in. dia. Stands for Cor. of Sec.
 4, 5, 8 & 9. This level 3^d rate land timber &c.
 Same as on the last mile

West Between Sec. 5 & 8.

- 14.50 a Stream 6 lks. wide Course S.
- 19.06 to Clark's Grant line, a Gum 16 in. dia. Stands
 for a corner. Land timber &c Same as last

South Between Sec. 8 & 9

- 31.00 a Stream 6 lks. wide Course W.
- 31.65 to Clark's Grant line Set a post, from which
 a Sugar 10 in. dia. bears West 24 lks. dist. 4
 a W. 4 " " " N 60 E 9 " "
 Beech, Oak, Gum, &c. Some broken — 3^d rate

North Between Sec. 4 & 5

- 15.82 a Poplar 24 in. dia.
- 40.00 Set of Sec. post, from which
 a Beech 14 in. dia. bears S 81 E 50 lks. dist. 4
 a W. Oak 24 " " " S 60 W 7 " "

362

T. N. R. 8 E. Mer. Indiana

ch. 1. 1/2

85.00 Intersected the N. boundary 86 ch. W. of post.
a Poplar 24 in. dia. stands for Cor. of Sec. 4 &
5 on N. boundary

This mile level 3rd rate, Beech, Oak, Poplar
Gum &c..

Surveyed in May 1807

By Stephen Ludlow, L. S.

Comp^d

I Certify that the foregoing transcript of field notes of
Township 1st 2nd North, Range 1st 8 East T. Mer. Indiana
has been compared with the original notes in this Office
and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 13, 1842

William Johnston
Sur. Genl.